MATERIAL SAFETY DATA SHEET

Revision 1 Prepared 2013-12-18

1-PRODUCT AND COMPANY IDENTIFICATION

Product Name: Decoplast Liscio white base

Product Code: DECOLOWB

TradeName(s):

Decoplast

Manufactured by : Greenmaker Industries 697 Oakwood Avenue W. Hartford, CT 06110 FOR EMERGENCY CONTACT Chemtrec within USA and Canada- 1-800-424-9300 Chemtrec outside USA and Canada- 1-703-527-3887

Product Information- 1-860-761-2830

2-COMPOSITION/ INFORMATION ON INGREDIENTS

3-HAZARDS IDENTIFICATION

Ingredients	cas #	% vol	ACGIH TLV
acrylic polymer	not avail	5-25 %	non hazardous
ammonia	7664-41-7	<0.1 %	50 ppm
ground limestone	1317-65-3	25-50 %	10 mg/m3
water	7732-18-5	25-50 %	
Titanium Dioxide	13463-67-7	5-10 %	

HMIS Rating: 0 - 0 - 0

Routes of Entry-Inhalation, Eye contact, Skin contact.

Inhalation- Remove to fresh air.

Eye contact- Remove contact lenses. Flush immediately with large volumes of water for at least 15 mins. Skin contact- Wash promptly with soap and water. If irritation occurs, contact physician.

Acute Toxicity-This material is not known to be toxic. Persons exposed to large amounts of dust may be forced to leave area because of nuisance conditions.

Acute Overexposure- Slight irritation to skin, eyes, and respiratory tract.

Carcinogenicity- No data found.

Silicon Dioxide-Health hazard can occur from excessive inhalation of dust, otherwise non-toxic.Crystalline silica in the lung can produce a pneumoconiosis, commonly called silicosis. Avoid inhalation of material when spraying and use proper respiratory protection.

Chronic Effects-Prolonged contact may cause skin burns and respirable dust may cause delayed lung injury.

4-FIRST AID MEASURES

Inhalation-Remove to fresh air.

Eye contact-Remove contact lenses. Flush immediately with large volumes of water for at least 15 mins. If irritation occurs, contact physician.

Skin contact-Wash promptly with soap and water. If irritation occurs, contact physician. Ingestion-May cause some stomach distress.

5-FIRE FIGHTING MEASURES

Flash Point: None LEL: N/A UEL: N/A Flammable limits-N/A Boiling point- deg F 212

Extinguishing Media-Water spray,foam,dry chemical. Unusual fire/Expl.Hazards-Material may spatter above 212 deg F. Haz.combust.product-N/A

6-SPILLAGE

Spills-Absorb liquid on paper and pick up with shovel. Waste disposal methods-Place in closed containers.

Carefully incinerate or use sanitary land fill in accordance with local and federal regulations.

7-HANDLING AND STORAGE

Handling Precautions-Use with adequate ventilation. Do not take internally. Avoid skin and eye contact.

Keep out of reach of children.

Store in a cool dry location, out of direct sunlight.

Protect from freezing.

8-HEADING EXPOSURE CONTROL AND PERSONAL PROTECTION

Engineering Control-No data

Ventilation-Recommended-local or mechanical when mixing, apply or sanding the product in the dry state. Admin.Controls-No data

Protective Gear-NIOSH approved dust respirator or mask in the absence of adequate ventilation-ventilation exhaust capable of minimizing dust emissions at the point of use.

Protective gloves-Impervious gloves

Eye protection-Chemical goggles

Other-Eye wash available.

Contaminated Gear-No data

9-PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White or colored
Odor	Slight ammonia
Physical State	Liquid
Evaporation Rate	Evaporation Rate01
% Volume Volatile	0.00
Specific Gravity (SG)	1.346
Lbs VOC/Gallon Less Water	0.00

10-STABILITY AND REACTIVITY

Preamble- Stable

Hazardous Decomposition-No data

11-TOXICOLOGICAL INFORMATION

Toxicity-No data

12-ECOLOGICAL INFORMATION

Environmental Impact statement (Ecotoxicity, state, degradation, soil/mobility)-No data.

13-DISPOSAL CONSIDERATIONS

Disposal-Per local, state and federal regulations.

14-TRANSPORT INFORMATION

15-REGULATORY INFORMATION

Regulatory Preamble- No Data found.

16-OTHER INFORMATION

Document disclaimer-The information contained in the referenced material safety data sheet (MSDS) is believed to be correct as it was obtained from sources we believe are reliable. However, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications. Hazards connected with the use of the material, variations in methods, conditions and equipment used to store, handle, or process the material and hazards connected with the use of the material are solely the responsibility of the user and remain at his/her sole discretion. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of its operation and to determine if or where precautions, in addition to those described herein, are required.