

# MATERIAL SAFETY DATA SHEET

Revision 1  
Prepared 2018-12-11

## 1-PRODUCT AND COMPANY IDENTIFICATION

Product Name: Quick Cure 1000

Product Code: DECOACCELW

TradeName(s):

Decoplast

Manufactured by :  
Greenmaker Industries  
697 Oakwood Avenue  
W. Hartford, CT 06110

FOR EMERGENCY CONTACT

Chemtrec within USA and Canada- 1-800-424-9300

Chemtrec outside USA and Canada- 1-703-527-3887

Product Information- 1-860-761-2830

## 2-COMPOSITION/ INFORMATION ON INGREDIENTS

## 3-HAZARDS IDENTIFICATION

Ingredients	cas #	% vol	ACGIH TLV
ammonia	1336-21-6		27 mg/m,35ppm
water	7732-18-5		
Carbonic acid	10361-29-2		NA

Emergency Overview

Appearance

Form-----Liquid

Color-----Clear

Odour-----Mild Ammonia

PH-13

HMIS Rating: 3 - 1 - 0

Routes of Entry-Inhalation, Eye contact, Skin contact.

Inhalation- Remove to fresh air.

Eye contact- Remove contact lenses. Flush immediately with large volumes of water for at least 15 mins.

Skin contact- Wash promptly with soap and water. If irritation occurs, contact physician.

Acute Toxicity-NA

Carcinogenicity- NA

Eyes-Direct contact with material can cause the following:slight irritation

Skin-Prolonged or repeated skin contact can cause the following:slight irritation

Inhalation-Inhalation of vapor or mist can cause the following:irritation of nose, throat, and lungs

Headache

Nausea

Chronic Effects

## 4-FIRST AID MEASURES

Inhalation-Remove to fresh air.

Eye contact-Remove contact lenses.Flush immediately with large volumes of water for at least 15 mins. If irritation occurs, contact physician.

Skin contact-Wash promptly with soap and water. If irritation occurs,contact physician.

Ingestion-Drink 1 or 2 glasses of water. Consult a physician if necessary. Never give anything by mouth to an unconscious person.

## 5-FIRE FIGHTING MEASURES

Flash Point: None

LEL: N/A

UEL: N/A

General Infomation-Water base product

Flash point Deg. - NA

Ignition temperature-not applicable

Lower explosion limit-not applicable

Upper explosion limit-not applicable

Extinguishing Media-Use extinguishing media appropriate for surrounding fire.

Thermal decomposition-Thermal decomposition may yield acrylic momomers.

Unusual fire/Expl.Hazards-Material may spatter above 212 deg F.

Haz.combust.product-material can splatter above 100C/212F. Dried product can burn.

Fire Equipment-special protective equipment for firefighters-wear self-contained breathing apparatus and protective suit.

## 6-SPILLAGE

Personal precautions

Use personal protective equipment

Keep people away from and upwind of spill/leak

Material can create slippery conditions.

Environmental precautions

CAUTION-keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods for cleaning up.

Contain spills immediately with inert materials (e.g sand, earth )

Transfer liquids and solids diking material to separate suitable containers for recovery or disposal.

## 7-HANDLING AND STORAGE

Handling Precautions-Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

Storage requirements-Store in a cool dry location, out of direct sunlight.

KEEP OUT OF REACH OF CHILDREN.

Protect from freezing.

## 8-HEADING EXPOSURE CONTROL AND PERSONAL PROTECTION

Engineering Control-Use local exhaust ventilation.

Ventilation-Recommended-local or mechanical when mixing, apply or sanding the product in the dry state.

Admin.Controls-No data

Protective Gear-A respiratory protection program meeting OSHA requirements or equivalent must be followed whenever workplace conditions warrant a respirator's use.

Wear a properly fitted NIOSH approved respirator.

Protective gloves-Impervious gloves

Eye protection-Chemical goggles

Other-Eye wash available.

Contaminated Gear-No data

## 9-PHYSICAL AND CHEMICAL PROPERTIES

Water solubility- Dilutable

Appearance	<b>Clear</b>
Odor	<b>Slight ammonia</b>
Physical State	<b>Liquid</b>
Vapor Density	<1.0Water
Evaporation Rate	Evaporation Rate- <1.00 Water
% Volume Volatile	2.45
Specific Gravity (SG)	1.021
Lbs VOC/Gallon Less Water	0.00

## 10-STABILITY AND REACTIVITY

Stable

Incompatibility-Material to avoid : None

Hazardous Decomposition-No data

## 11-TOXICOLOGICAL INFORMATION

Toxicity-No data

## 12-ECOLOGICAL INFORMATION

Environmental Impact statement (Ecotoxicity,state,degradation,soil/mobility)-No data.

## 13-DISPOSAL CONSIDERATIONS

Disposal-Per local,state and federal regulations.

## 14-TRANSPORT INFORMATION

DOT Regulations:US Regulated

Hazard class: 8

Identification number : UN1719

Packing group: II

Description: Caustic Alkali Liquid,N.O.S mixture

## 15-REGULATORY INFORMATION

No Data found.

## 16-OTHER INFORMATION

### HMIS Hazard Rating

Health	Flammability	Physical Hazard
3	1	0

Document disclaimer-The information contained in the referenced material safety data sheet (MSDS) is believed to be correct as it was obtained from sources we believe are reliable. However, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications. Hazards connected with the use of the material, variations in methods, conditions and equipment used to store, handle, or process the material and hazards connected with the use of the material are solely the responsibility of the user and remain at his/her sole discretion. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of its operation and to determine if or where precautions, in addition to those described herein, are required.